

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	1	("20050091436").PN.	US-PGPUB	OR	OFF	2005/11/25 21:59
S6	168	S4 same host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 22:03
S5	14	S4 same usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 22:03
S7	24	S6 and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 22:06
S10	72934	(functions or services) near7 switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 22:12
S11	136	S10 same usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 22:13
S12	8	("6315582"   "6435409"   "6438638"   "6522552"   "6524137"   "6557754"   "6563714"   "6567273").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/25 22:20
S14	4	("6654841").URPN.	USPAT	OR	OFF	2005/11/25 22:21
S13	8	("6315582"   "6435409"   "6438638"   "6522552"   "6524137"   "6557754"   "6563714"   "6567273").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/25 22:21
S17	61	S16 and external adj2 host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 22:36
S9	9	(USB or universal adj serial adj bus) adj2 device same (dual or second) adj2 (\$5processor or pu or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 22:36

S16	808	S15 and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 18:28
S15	1409	(USB or universal adj serial adj bus) adj2 device same (\$5processor or pu or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 18:28
S26	201	S25 and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 18:55
S4	1858	dual adj (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 18:56
S30	97	S28 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 20:25
S31	25	S29 same (Universal adj serial adj bus or usb) same (service or function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 20:58
S36	307	S32 and (USB or universal adj serial adj bus) and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 21:39
S37	634	(Universal adj serial adj bus or usb) same (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit)) same host same (service or function) same device not (host adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 21:40
S28	1004	(Universal adj serial adj bus or usb) same (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit)) same host same (service or function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 21:40

S38	38	S37 and additional adj3 (service or function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 21:41
S25	268	(USB or universal adj serial adj bus) adj2 device adj8 (\$5processor or pu or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 21:53
S40	1386	(USB or universal adj serial adj bus) adj2 (device or peripheral). ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 21:54
S39	578923	(USB or universal adj serial adj bus) adj2 device or peripheral.ab, ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 21:58
S43	40	S41 same usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 22:58
S44	33	S43 not S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 23:14
S42	8	S40 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 23:14
S46	36	S45 and (configuration or enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 23:25
S45	52	S29 with usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 23:25
S41	646	(function or service or application) same (configurat\$3) same (enumerat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/26 23:25

S47	1585	usb same (\$5processors or cpus or mcpus or mpus or microcontrollers or processing adj2 (units or nodes or modules or devices or circuits))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 23:38
S49	263	usb same enumeration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 00:00
S48	86	S47 and enumeration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 00:00
S50	27	S49.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 00:04
S52	271	(universal adj serial adj bus or usb) same enumeration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 15:40
S51	236	S49 not S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 15:40
S53	325010	switch\$3 with (function or application or service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 15:42
S54	53	S52 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/27 15:57
S56	13	USB adj2 peripheral same wireless and enumeration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
S55	22	USB adj2 device same wireless and enumeration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/27 16:03

S58	420648	(multi\$3 or plurality or second or another or different or distinct or various or two) adj3 (function or service or application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:18
S60	100	S59 same (configuration or enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/27 16:19
S59	724	S58 same (USB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/27 16:19
S57	1	S56 not S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/27 16:19
S61	2383	710/305,306,313.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/27 18:18
S64	1705	710/100,300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 18:45
S63	140	S62 and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 18:45
S62	164	S61 and usb same (configuration or enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 18:45
S66	55	S65 not S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 18:56
S69	105	S68 not S66 not S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 18:57

S68	126	S67 and usb same (configuration or enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 18:57
S67	2526	710/8-10,104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 18:57
S65	68	S64 and usb same (configuration or enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 18:57
S32	8434	(device or peripheral) with (two or redundant or second\$3 or dual) adj2 (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 19:28
S73	12	(S61 or S64 or S67) and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 19:30
S72	250	usb same (two or redundant or second\$3 or dual or "co" or sub) adj2 (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 19:58
S79	964	S78 same (configuration or enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/27 20:03
S78	20418	S77 same (second or "co" or sub) adj2 (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 20:03
S80	82	S79 and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/27 20:07
S77	63439	(first or main) adj2 (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 20:08

S82	66	S81 and usb and (host or usb adj2 (device or peripheral))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 20:18
S85	1840	S83.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/27 20:19
S86	15	S85 and usb and (host or usb adj2 (device or peripheral))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 20:20
S88	200	S87.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 20:21
S87	1842	(initialization or enumeration or configuration) with (usb or universal adj serial adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 20:21
S84	450	S83 and usb and (host or usb adj2 (device or peripheral))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 20:21
S83	12782	initialization near7 (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 20:21
S89	138	S88 and (host or usb adj2 (device or peripheral))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 20:54
S90	2	huang near2 aiping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 06:47
L8	14	7 and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 06:48

L7	595	compar\$3 near4 configuration with first with second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 06:48
S81	156	enumeration near7 (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 06:52
L11	28	10 not 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 06:54
L9	6	compar\$3 near5 (configuration) with (second adj3 (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 06:54
L10	34	compar\$3 with (configuration) with ((first or second) adj3 (\$5processor or controller or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 06:59
L13	33	(different or "same") adj2 (configuration) with ((first) adj2 (\$5processor or controller or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))) with ((second) adj2 (\$5processor or controller or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 07:01
S29	47974	(two or redundant or second\$3 or dual) adj2 (\$5processor or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 07:25
L24	26	23 and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 07:28



L23	463	(telephone or phone) near8 (two or redundant or second\$3 or dual) adj2 (\$5processor or controller or pu or cpu or mcpu or mpu or microcontroller or processing adj2 (unit or node or module or device or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 07:28
-----	-----	--	---	----	----	------------------